

MAMMUT



Silage distributor

Silofox

ROTARY RAKE



**The
powerful
brand**

Silofox

Better forage quality means higher milk output.

MAMMUT SILOFOX is a silage distributor giving you maximum flexibility to meet your requirements. Front or rear mounted, matching forward speed to rotary speed of the machine. All options are fitted standard. On the Giant contractor model you can adjust the spreading width.

SF 175 ST

SF 175 HSB



Far ahead

I don't argue about "half full" or "half empty". My milk can is always full – thanks to the best technology for better forage quality and higher milk output.

> Weight optimization
You can add water to the drum for greater silage compression.
(SF 175 ST / HSB)

> No winding around the drum
The unique drum design avoids blockages

> Precise distribution
The pivoting device allows to distribute the forage perfectly, even into every corner.

> The right speed
Select your optimum speed for distribution and compression



Silofox Giant

The only silage distributor large enough for big forage wagons. Fast distribution and compression guarantees smooth operation. All machines have hydraulic steering as standard.



> Smooth and stable steering
The big, strong steering cylinders with locking valves prevents jerks and unintentional pivoting.

> Long-lasting quality
Perfect operation for many years thanks to the high quality materials used.

> Adjustable spreading width
No forage is spread outside the silo area – forget about manual raking.



> No forage accumulation
Thanks to the high ground clearance of the 3-point frame, a smooth flow of forage is ensured.

Two types - many versions

Select your individual Silo-fox - depending on forage quantity, size of silo, tractor power and work load. A clean forage, with a high content of nutrients and vitamins is the best health guarantee for your cattle during winter time. This is economic efficiency- related not only directly to machine operation.

SF 175 Serial Equipment	SF 230/280 Giant Serial Equipment
<ul style="list-style-type: none"> • Triangular 3-point frame on machine • Distribution drum can be filled with water • Easy conversion from rear to front mounting without reverse gearbox • Cardan shaft with overload protection • On SF 175 HSB (pivoting), the pivoting cylinder has a locking device to save the control valve 	<ul style="list-style-type: none"> • Adjustable spreading width • Integrated overload protection • Cardan shaft
SF 175 Optional Equipment	SF 230/280 Giant Optional Equipment
<ul style="list-style-type: none"> • Forage guiding plate-for spreading forage inside the aisle towards the feeding lane • Silo block tearing and spreading device • Reverse - reduction gearbox 	<ul style="list-style-type: none"> • Hydraulic pivoting device to retrofit • Reverse - reduction gearbox

Facts showing who is the best:



SF 175 ST



SF 175 HSB



SF 230/280 Giant

Silofox 175

Technical data:	SF 175 ST	SF 175 HSB
Diameter of drum	1040 mm	1040 mm
Total width of drum	1730 mm	1730 mm
Working width	2500 mm	2500 mm
Required tractor power	min. 40 PS	min. 40 PS
PTO speed	540/1000	540/1000
Empty weight	390 kg	440 kg
Weight of water filling	approx. 350 kg	approx. 350 kg
Pivoting angle, each left and right		20°

Silofox Giant

Technical data:	SF 230 Gigant	SF 280 Gigant
Diameter of drum	1300 mm	1300 mm
Total width of drum	2300 mm	2800 mm
Working width	3000 mm	3500 mm
Required tractor power	min. 90 PS	min. 110 PS
PTO speed	540/1000	540/1000
Empty weight	920 kg	970 kg
Pivoting angle, each left and right	20° optional equipment.	20° optional equipment.

MAMMUT



MAMMUT MASCHINENBAU GES.M.B.H.

A-4942 GURTEN - Rieder Straße 9 - Tel. +43(0)7757/6701 - Fax 6701-33

e-mail: office@mammut.at - Internet: www.mammut.at