



## Silage shear SILO CAT

Technical data	SC 90 N	SC 120 N	SC 150 N
Block width	0,91 m	1,19 m	1,44
Block height	0,70 m	0,70 m	0,70 m
Block depth	0,78 m	0,78 m	0,78 m
Volume	0,48 m <sup>3</sup>	0,64 m <sup>3</sup>	0,78 m <sup>3</sup>
Cylinder Ø (2 pcs.)	90 mm	100 mm	100 mm
Net weight	360 kg	420 kg	480 kg
Number of tines	8	10	12

Technical data	SC 170 M	SC 195 M	SC 220 M
Block width	1,69 m	1,94 m	2,19 m
Block height	0,80 m	0,80 m	0,80 m
Block depth	0,78 m	0,78 m	0,78 m
Volume	1,05 m <sup>3</sup>	1,21 m <sup>3</sup>	1,36 m <sup>3</sup>
Cylinder Ø (2 pcs.)	110 mm	110 mm	110 mm
Net weight	655 kg	730 kg	805 kg
Number of tines	14	16	18

Technical data	SC 170 H	SC 195 H	SC 220 H	SC 240 H
Block width	1,69 m	1,94 m	2,19 m	2,41 m
Block height	1,10 m	1,10 m	1,10 m	1,10 m
Block depth	0,80 m	0,80 m	0,80 m	0,80 m
Volume	1,48 m <sup>3</sup>	1,71 m <sup>3</sup>	1,93 m <sup>3</sup>	2,12 m <sup>3</sup>
Cylinder Ø (2 pcs.)	110 mm	110 mm	110 mm	110 mm
Net weight	840 kg	930 kg	1020 kg	1110 kg
Number of tines	14	16	18	20

Technical data	SC 195 XL	SC 220 XL	SC 240 XL
Block width	1,94 m	2,19 m	2,41 m
Block height	1,30 m	1,30 m	1,30 m
Block depth	1,00 m	1,00 m	1,00 m
Volume	2,52 m <sup>3</sup>	2,84 m <sup>3</sup>	3,13 m <sup>3</sup>
Cylinder Ø (4 pcs.)	100 mm	100 mm	100 mm
Net weight	1510 kg	1630 kg	1750 kg
Number of tines	16	18	20